

Catálogo de mariposas
Pueblito de San José
Amagá, Antioquia



Kim Garwood & Juan Guillermo Jaramillo V.
BB

Convenciones



La taxonomía y la secuencia de este catálogo está basado en el Atlas of Neotropical lepidoptera, listado de chequeo parte 4A por Gerardo Lamas, 2004 y en www.butterfliesofamerica.com

La mayoría de fotos fueron tomadas a mariposas vivas en su ambiente natural. Las fotos de especímenes son usadas para mostrar algunas características que no son posibles fotografiar en la naturaleza o para mostrar especies de las cuales aún no tenemos ejemplares vivos, en ese caso ponemos una foto de esta especie tomada en otro país neotropical, indicando en la foto el país donde fue registrada con una abreviación de dos letras. Esta abreviación corresponde al código internacional usado como terminación en internet del código de cada país, ej. Brasil BR, Ecuador EC, Perú PE etc. Las especies fotografiadas en Colombia no tienen el código de país.

Debajo de la foto están el nombre científico y el rango de distribución de la especie con abreviación del nombre de los países de norte a sur, en algunos casos de con especies que están en Estados Unidos y México usamos el código de los estados más al sur donde están las especies TX Texas, CHI Chiapas.

Las fotos serán reemplazadas una vez se tome la foto de estas especies en Colombia, toda colaboración que permita completar el catálogo será bienvenida y el fotógrafo tendrá los créditos.

Nombres científicos con sp y el nombre de una localidad, tienen identificación desconocida, con duda o son especies sin describir por la ciencia, por favor si Usted puede ayudar a completar o corregir escribanos a los contactos.

Advertencia

Este catálogo hace parte del Catálogo de mariposas de Colombia, es una versión preliminar en proceso de construcción y revisión, generado desde una base de datos, puede tener errores de taxonomía, de autores, de fotógrafos, de ortografía, de distribución geográfica y de códigos o duplicados que deben ser corregidos.

Al ser en un medio electrónico las correcciones son fáciles de hacer, no implican desperdicio de papel y se puede actualizar permanentemente.

Son bienvenidas todas las críticas, sugerencias y correcciones para mejorarlo y corregirlo.

Si desea colaborar tenemos una metodología para hacerlo por favor llame a Juan Guillermo Jaramillo V. al celular 57-3108306732 o escriba al correo arcas1956@gmail.com o a Kim Garwood kimgrwd@sbcglobal.net o www.neotropicalbutterflies.com

Todos los errores son responsabilidad de Juan Guillermo Jaramillo V. y Kim Garwood.

Conventions



Taxonomy and sequence of this catalog is based on the Atlas of Neotropical Lepidoptera, check list of Part 4A by Gerardo Lamas, 2004 and www.butterfliesofamerica.com

Most photos were taken of live butterflies in their natural environment. The photos of specimens are used to display some features that are not possible to photograph in nature. In some cases we have used photos taken in another neotropical country, and in these photos the other country is shown by a two letter abbreviation. This abbreviation corresponds to the international code used as internet country code, eg BR Brazil. The species photographed in Colombia do not have the country code.

Photos will be replaced once the picture is taken of these species in Colombia, any collaboration or contribution of photos that adds to the catalog will be welcome and all photographers will be credited.

Scientific names with the letters sp and the name of a town are used for unknown or unsure id's. If you can help with id's or corrections, please contact the authors.

Warning

This catalog is part of the checklist of Colombian butterflies, it is a work in progress and is not complete. It is a preliminary version under construction and review, generated from a database. It may contain errors in taxonomy, author, photographers, spelling, geographical distribution and codes or duplicates that must be corrected.

Being an electronic medium, corrections are easy to make. There is nothing printed, and information and id's can be easily updated.

We welcome all criticisms, suggestions, and corrections to improve and correct this work.

If you want to help with this work, please contact Juan Guillermo Jaramillo at cellular 57-3108306732, email arcas1956@gmail.com, or Kim Garwood, email kimgrwd@sbcglobal.net or www.neotropicalbutterflies.com, to learn about our methodology.

All errors are the responsibility of Juan Guillermo Jaramillo V. and Kim Garwood.

Familias y subfamilias de mariposas

Las mariposas se clasifican en seis familias que agrupan especies con características comunes.

Hesperiidae

Esta familia de mariposas primitivas tiene como característica las antenas con ganchito en la parte final. Tienen cabeza y cuerpo grueso y muchas tienen colores oscuros o cafés. 4 subfamilias.



Eudaminae
Spreadwing skippers



Pyrginae
Spreadwing skippers



Pyrginae
Firetips



Heteropterinae
Skipperlings



Hesperiinae
Grass Skippers

Butterfly families and subfamilies

The butterflies are classified into six families comprising species with common characteristics.

Skippers

Mostly small with stout bodies, fast fliers, skipping or zipping flight. Many are brown or dark, drab colors. A large family, about 30% of all butterflies. Eudaminae and Pyrginae sit with wings spread open, Heteropterinae often sit with wings closed, Hesperiinae often sit in jet plane position. 4 subfamilies.

Papilionidae

Mariposas grandes, muchas con colas. Vuelan con fortaleza y les gusta posarse en pantanos o zonas húmedas moviendo constantemente las alas. La mayoría son negras con rayas amarillas o negras con parches rojos en las alas posteriores.

Las antenas tienen la parte final engrosada y curvada.



Papilioninae



Swallowtails



Swallowtails

Mostly large butterflies, many with tails. Strong fliers, they like to mudpuddle on wet dirt with constantly moving, quivering wings. They are mostly black with yellow stripes or black with red patches on the hindwings (Parides).

The antenna is bulky and curved at the end.



Dismorphiinae
Mimic-Whites



Pierinae



Whites

Whites and sulphurs

Mostly white, yellow or orange, but some are black. Whites and Sulphurs like flowers and are often in gardens, but Dismorphiinae like the shaded forest. They have 3 subfamilies.



Coliadinae



Sulphurs

Riodinidae

La mayoría de riodínidos se encuentran en tierras bajas, es una familia con mucha variedad. Muchas tienen manchas metálicas y se posan por debajo de las hojas. Algunas tienen colas. Tienen dos subfamilias.



Euselasiinae Metalmarks



Riodininae



Metalmarks



Lycaenidae

En general los licénidos son mariposas pequeñas, muchas tienen colas pequeñas para distraer a los predadores. Son difíciles de ver pues muchas viven en el docel. A menudo son azules al abrir las alas. Tienen 2 subfamilias.



Polyommatinae Blues



Theclinae



Hairstreaks

Nymphalidae

Las nifálidos solo tienen 4 patas visibles, las otras 2 están acortadas y cerca a la cabeza como escobas. Es la familia más abundante y representa 40% del total. Tiene 10 subfamilias.



Heliconiinae
Longwings



Nymphalinae
Brushfoots Crescents



Limenitidinae
Sisters



Charaxinae
Leafwings



Apaturinae
Emperors



Satyrinae
Satyrs, Morphos



Danainae
Clearwings



Danainae
Monarchs



Cyrestinae
Daggerwings



Biblidinae
Tropicals

Metalmarks

More species are found in the lowlands. This is the most varied family; they can come in many shapes, sizes and colors. Some have tails, many do not. Some genera sit with wings closed, some with wings open. They pose under the leaves. They have 2 subfamilies.

Euselasiinae	Metalmarks	Riodininae	Metalmarks	Hairstreaks and blues
Polyommatinae Blues		Theclinae	Hairstreaks	
Heliconiinae Longwings	Nymphalinae Brushfoots Crescents	Limenitidinae Sisters	Charaxinae Leafwings	Apaturinae Emperors
Satyrinae Satyrs, Morphos	Danainae Clearwings	Danainae Monarchs	Cyrestinae Daggerwings	Biblidinae Tropicals

Hesperiidae

Skippers

Eudaminae

Spreadwing Skippers

Se posan con las alas abiertas, muchas tienen colas y puntos o rayas en las alas delanteras.

Sit with wings open, many have tails and spots or stripes on the forewing.



Astraptes anaphus annetta

Tx-PE



Astraptes anaphus annetta

2

B&B



Astraptes anaphus annetta

3

B&B



Astraptes anaphus annetta

Tx-PE

5

B&B



Astraptes fulgerator

6

B&B



Astraptes fulgerator

Tx-AR

7

B&B



Astraptes fulgerator

8

Leo



Astraptes fulgerator

9

B&B



Astraptes fulgerator

10
BB
Tx-AR



Astraptes fulgerator
Leo
Tx-AR



Autochton longipennis
BB
MX-BR



Autochton longipennis

13
RR
MX-BR



Autochton longipennis
RR
MX-BR



Epargyreus exadeus cruza
BB
MX-SU



Epargyreus exadeus cruza

16
BB
MX-SU



Epargyreus exadeus cruza
BB
MX-SU



Epargyreus exadeus cruza
BB
MX-SU



Epargyreus exadeus cruza

19
BB
MX-SU



Phanus grandis
KG
NI-VZ



Phanus grandis
DvG
NI-VZ





Urbanus proteus proteus

BB
US-AR



Urbanus teleus

BB
Tx-AR



Urbanus teleus

BB
Tx-AR



Urbanus teleus

FM
Tx-AR

Pyrginae

Spreadwing Skippers

Se posan con las alas abiertas, en la tribu Pyrrhopigine muchos tienen punta roja en el abdomen.

Tribe Pyrrhopygini/Golf-club Skippers or Firetips – sit with wings open, some have red tips to abdomen. Tip of antennae bent over at 90 degree angle, like a golf club. Powerful fliers, strong bodies and wings, can buzz you. Some very colorful.

Other spr



Myscelus epimachia epimachia

Z-BO,BR



Myscelus epimachia epimachia

KG
Z-BO,BR



Myscelus epimachia epimachia

BB
Z-BO,BR



Pyrrhopyge decipiens

PB
CO-BO



Pyrrhopyge decipiens


BB
CO-BO




Pyrrhopyge decipiens

BB
CO-BO











Eburuncus unifasciata



Eburuncus unifasciata



Eburuncus unifasciata



Eburuncus unifasciata




Eburuncus unifasciata



Gorgythion begga begga



Gorgythion begga begga



Gorgythion begga begga



Gorgythion begga begga




Gorgythion begga begga



Gorgythion begga begga



Gorgythion begga begga









Quadrus truncata CO-BO



Quadrus truncata CO-BO



Quadrus truncata CO-BO



Quadrus truncata CO-BO



Quadrus truncata KG



Zera hyacinthinus hyacinthinus MX-CO



Zera hyacinthinus hyacinthinus MX-CO



Zera hyacinthinus hyacinthinus MX-CO



Zera hyacinthinus hyacinthinus MX-CO



Carrhenes meridensis NI-VZ



Carrhenes meridensis NI-VZ



Carrhenes meridensis NI-VZ



Carrhenes meridensis NI-VZ KG



Carrhenes meridensis NI-VZ BB



Carrhenes meridensis NI-VZ BB



Carrhenes meridensis NI-VZ KC



Heliopetes alana BB



Heliopetes alana BB



Heliopetes alana FM



Heliopetes alana BB



Heliopetes alana BB



Heliopetes alana BB



Heliopetes arsalte DW



Heliopetes arsalte FM



Heliopetes arsalte



Heliopetes laviana laviana



Heliopetes laviana laviana



Heliopetes laviana laviana



Heliopetes laviana laviana



Pyrgus adepta

MX-VZ



Pyrgus adepta

MX-VZ



Pyrgus adepta

MX-VZ



Pyrgus adepta

MX-VZ



Pyrgus adepta

MX-VZ



Pyrgus adepta

MX-VZ



Pyrgus orcus

MX-AR



Heteropterinae

Skipperlings

The Dallas – most sit with forewings up, like grass skippers. Often have large gold or orange patterns on underside. Found on wet dirt at higher elevations, some very high. Not in the lowlands. Many very confusing species.



Dalla caicus inca CO-BO BB



Dalla caicus inca CO-BO BB



Dalla caicus inca CO-BO BB



Dalla caicus inca CO-BO BB



Dalla jelskyi ssp CO-BR BB



Dalla jelskyi ssp CO-BR BB



Dalla jelskyi ssp CO-BO BB



Dalla jelskyi ssp CO-BR BB



Dalla jelskyi ssp CO-BR BB




Dalla jelskyi ssp CO-BR BB

Hesperiinae

Grass Skippers

Sit in 'jet plane' position, with forewings straight up and hindwings out flat. Many are orange and black, or brown. Many can only be separated by genitalic dissection. Small butterflies, some like flowers in gardens, some like shaded forest.







Lerema lumina



Lerema lumina



Lerema lumina



Lerema lumina



Lerema lumina



Lerema lumina



Lerema lumina



Lucida lucia Scopas



Lucida lucia Scopas



Lucida lucia Scopas



Lucida lucia Scopas



Lucida lucia Scopas









Thespies opigena CO-BO BB



Thespies opigena CO-BO DyG



Thespies opigena CO-BO BB



Thespies opigena CO-BO BB



Thespies opigena CO-BO KG



Thespies opigena CO-BO BB



Thespies opigena CO-BO BB



Thespies xarippe hallia CO-PE BB



Thespies xarippe hallia CO-PE BB



Thespies xarippe hallia CO-PE BB



Thespies xarippe hallia CO-PE BB



Thespies xarippe hallia CO-PE BB




Thespies xarippe hallia CO-PE



Thespies xarippe hallia CO-PE



Thespies xarippe hallia CO-PE



Thespies xarippe hallia CO-PE



Thespies xarippe hallia CO-PE



Thespies xarippe hallia CO-PE



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola GT-VZ



Vacerra caniola caniola

294

GT-VZ



Vacerra caniola caniola

295

GT-VZ



Vacerra caniola caniola

296

GT-VZ

Papilionidae

Swallowtails

Papilioninae

Swallowtails




Eurytides columbus



Eurytides columbus



Eurytides columbus



Eurytides columbus



Heraclides thoas nealces



Heraclides thoas nealces



Heraclides thoas nealces



Heraclides thoas nealces



Heraclides thoas nealces



Heraclides thoas nealces

Pieridae

Whites and Sulphurs

Dismorphiinae

Mimic-Whites

Odd shaped forewings, smaller butterflies, prefer shaded areas. They are pale yellow or white with black marking on the dorsals. Females have rounder forewings. Sit with wings closed.



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia foedora



Dismorphia crisia tolimensis



Dismorphia crisia tolimensis



Dismorphia crisia tolimensis



Dismorphia zathoe othoe



Dismorphia zathoe othoe



Dismorphia zathoe othoe



Enantia melite citrinella



Enantia melite citrinella



Lieinix nemesis nemesis



Lieinix nemesis nemesis



Lieinix nemesis nemesis



Lieinix nemesis nemesis



Lieinix nemesis nemesis



Pseudopieris nehemia



Pseudopieris nehemia



Pseudopieris nehemia



Pseudopieris nehemia



Pseudopieris nehemia



Pseudopieris nehemia

Pierinae

Whites

Variable, many are white but some are black with narrow white, yellow or even red patches. Many species of *Catasticta* are very difficult to separate from a live ventral photo. They like to come to wet sand or edges of flowing water. Sit with wings closed



Catasticta flisa flisa



Catasticta flisa flisa



Catasticta flisa flisa



Catasticta flisa flisa



Catasticta flisa flisa



Catasticta flisa flisa



Catasticta prioneris albescens



Catasticta prioneris albescens



Catasticta prioneris albescens



Catasticta prioneris albescens



Catasticta prioneris albescens



Leptophobia olympia olympia



Leptophobia olympia olympia



Pereute charops charops



Pereute charops charops



Pereute charops charops



Pereute charops charops



Pereute charops charops

Coliadinae

Sulphurs

Some large, but most are medium to smaller sizes. Common in meadows and gardens, roadside edges. Difficult to separate to species just on ventral live photos, you often need to see the pattern of the black on the edges of the upper wings. Sit with wings c



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Eurema xanthochlora xanthochlora



Phoebis neocypris rurina



Phoebis neocypris rurina



Phoebis neocypris rurina



Pyrisitia leuce athalia



Pyrisitia leuce athalia



Pyrisitia leuce athalia



Pyrisitia leuce athalia



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta



Pyrisitia venusta venusta

Riodinidae

Metalmarks

Riodininae

Metalmarks



Hyphilaria anthias



Leucochimona icare



Leucochimona icare



Leucochimona icare



Leucochimona icare



Leucochimona icare



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia metuana metuana



Mesosemia mevania mevania



Mesosemia mevania mevania



Mesosemia mevania mevania



Mesosemia mevania mevania



Mesosemia mevania mevania



Amphiselenis chama



Amphiselenis chama



Amphiselenis chama



Amphiselenis chama



Amphiselenis chama



Amphiselenis chama



Argyrogrammana stilbe holosticta



Argyrogrammana stilbe holosticta



Caria rhacotis



Amphiselenis chama



Argyrogrammana stilbe holosticta



Baeotis zonata zonata



Caria rhacotis



Argyrogrammana stilbe holosticta



Argyrogrammana stilbe holosticta



Baeotis zonata zonata



Caria rhacotis



Caria rhacotis



Caria rhacotis



Caria rhacotis



Caria rhacotis



Caria rhacotis



Caria rhacotis




Caria rhacotis



Caria rhacotis



Crocozona pheretima



Crocozona pheretima



Crocozona pheretima



Crocozona pheretima



Crocozona pheretima



Crocozona pheretima



Melanis cinaron



Melanis cinaron



Melanis cinaron



Melanis hodia



Melanis hodia



Melanis hodia



Melanis hodia



Melanis hodia



Melanis hodia



Melanis hodia



Melanis marathon marathon



Melanis marathon marathon



Melanis marathon marathon



Melanis marathon marathon



Melanis smithiae



Melanis smithiae



Melanis smithiae



Melanis smithiae



Necyria bellona incendiaria



Necyria bellona incendiaria



Necyria bellona incendiaria



Necyria bellona incendiaria





Anteros kupris kupris



Anteros kupris kupris



Anteros kupris kupris



Ourocnemis archytas



Anteros kupris kupris



Ourocnemis archytas



Ourocnemis archytas



Ourocnemis archytas



Ourocnemis archytas



Ourocnemis archytas



Ourocnemis archytas



Emesis brimo brimo



Emesis brimo brimo



Emesis brimo brimo



Emesis brimo brimo



Emesis brimo brimo



Emesis brimo brimo



Emesis brimo brimo



Emesis cypria guppyi



Emesis cypria guppyi



Emesis cypria guppyi



Emesis cypria guppyi



Emesis cypria guppyi



Emesis cypria guppyi



Emesis cypria guppyi



Emesis tegula



Emesis tegula



Emesis tegula



Emesis tegula



Emesis tegula



Roeberella gerres



Roeberella gerres

Euselasiinae

Metalmarks

Se posan casi siempre por debajo de las hojas en posicion hacia abajo. De colores cafes y cremas.

They sit in the leaves in upright position.
Brown and cream colors.



Euselasia eusepus



Euselasia eusepus



Euselasia eusepus



Euselasia eusepus

Lycaenidae

Blues and Hairstreaks

Theclinae

Hairstreaks

*Arawacus dolylas**Arawacus dolylas**Arawacus dolylas**Arawacus leucogyna**Arawacus leucogyna**Arawacus leucogyna**Arawacus leucogyna**Arawacus leucogyna**Arawacus leucogyna**Arzecla arza**Arzecla arza**Arzecla arza*







Cyanophrys pseudolongula CO-PG



Cyanophrys pseudolongula CO-PG



Cyanophrys pseudolongula CO-PG



Dicya iambe CR-PE



Dicya iambe CR-PE



Dicya iambe CR-PE



Erora carla MX-BR



Erora carla MX-BR



Erora carla MX-BR



Erora carla MX-BR





Erora carla MX-BR



Erora carla MX-BR











Panthiades paphlagon CO BB



Panthiades paphlagon CO KG



Panthiades paphlagon CO LC



Parrhasius polibetes MX-AR BB



Parrhasius polibetes MX-AR BB



Parrhasius polibetes MX-AR FM



Parrhasius polibetes MX-AR BB



Parrhasius polibetes MX-AR BB



Parrhasius polibetes MX-AR BB



Strymon mulucha MX-BR BB



Strymon mulucha MX-BR BB



Strymon mulucha MX-BR BB



Strymon mulucha

MX-BR



Strymon mulucha

MX-BR



Strymon mulucha

MX-BR



Strymon mulucha

MX-BR



Strymon mulucha

MX-BR



Strymon mulucha

MX-BR



Theritas paupera

CO-PE



Theritas paupera

DvG



Theritas paupera

CO-PE



Theritas theocritus

MX-CO



Theritas theocritus

MX-CO



Timaeta timaeus

CO-PE





Tmолос echion



Tmолос echion



Tmолос echion



Tmолос echion

Polyommatainae

Blues



Hemiargus hanno *hanno*



Hemiargus hanno *hanno*



Hemiargus hanno *hanno*



Hemiargus hanno *hanno*



Hemiargus hanno *hanno*



Hemiargus hanno *hanno*





Leptotes cassius

653

IS-VZ,SU



Leptotes cassius

654

DvG
IS-VZ,SU



Leptotes cassius

655

BB
IS-VZ,SU

Nymphalidae

Brushfoots

Heliconiinae

Longwings







Eueides procula kuenowii



Eueides procula kuenowii



Eueides procula kuenowii



Eueides procula kuenowii



Eueides procula kuenowii



Eueides procula kuenowii



Eueides procula kuenowii




Eueides procula kuenowii



Heliconius charithonia bassleri



Heliconius charithonia bassleri



Heliconius charithonia bassleri



Heliconius charithonia bassleri



Heliconius clysonymus clysonymus



Heliconius clysonymus clysonymus



Heliconius clysonymus clysonymus



Heliconius clysonymus clysonymus



Heliconius cydno cydno



Heliconius cydno cydno



Heliconius cydno cydno



Heliconius erato chestertonii



Heliconius erato chestertonii



Heliconius erato chestertonii

Nymphalinae
Brushfoots



Hypanartia cinderella



Hypanartia cinderella



Hypanartia cinderella



Hypanartia cinderella



Hypanartia cinderella



Hypanartia dione dione



Hypanartia dione dione



Hypanartia dione dione



Hypanartia dione dione



Hypanartia dione dione



Hypanartia lethe lethe



Hypanartia lethe lethe



Hypanartia lethe lethe



Anartia amathea amathea



Anartia amathea amathea



Anartia amathea amathea



Anartia amathea amathea



Anartia jatrophae jatrophae



Anartia jatrophae jatrophae



Anartia jatrophae jatrophae



Siproeta epaphus epaphus



Siproeta epaphus epaphus



Anthanassa acesas



Anthanassa acesas



Anthanassa acesas



Anthanassa acesas



Anthanassa acesas



Anthanassa acesas



Castilia eranites



Castilia eranites



Castilia eranites



Castilia eranites



Castilia eranites



Castilia eranites



Castilia ofella



Castilia ofella



Castilia ofella



Castilia ofella



Castilia ofella



Castilia ofella



Castilia ofella



Eresia carme laias



Eresia carme laias



Eresia carme laias



Eresia carme laias



Eresia carme laias



Eresia carme laias



Eresia clio clio



Eresia clio clio



Eresia clio clio



Eresia polina



Eresia polina



Eresia polina



Eresia polina



Janatella fellula



Janatella fellula



Janatella fellula



Janatella fellula



Tegosa anieta luka

Limenitidinae
Sisters

Mainly africana y asiatica some Namerica



Adelpha alala negra



Adelpha alala negra



Adelpha leucophthalma




Adelpha leucophthalma



Adelpha leucophthalma



Adelpha leucophthalma



Adelpha leucophthalma



Adelpha leucophthalma



Adelpha leucophthalma



Adelpha lycorias wallisii



Adelpha lycorias wallisii



Adelpha lycorias wallisii



Adelpha lycorias wallisii



Adelpha melanippe



Adelpha melanippe



Adelpha melanippe



Adelpha melanippe



Adelpha sp X pueblito



Adelpha sp X pueblito



Adelpha sp X pueblito



Adelpha sp X pueblito

Charaxinae

Leafwings

Larger butterflies, strong fliers, they usually sit with wings closed, then flash their wings open showing brilliant blue, purple or orange above. They look like dried leaves when wings are closed. They do not come to flowers, but like excrement, urine and



Fountainea glycerium glycerium -PN,CO?



Fountainea glycerium glycerium -PN,CO?



Fountainea glycerium glycerium -PN,CO?





Memphis pasibula CO-VZ



Memphis pasibula CO-VZ



Memphis pasibula CO-VZ



Memphis pasibula CO-VZ



Archaeoprepona chromus chromus



Archaeoprepona chromus chromus



Archaeoprepona chromus chromus



Archaeoprepona chromus chromus



Archaeoprepona chromus chromus



Prepona gnorima gnorima



Prepona gnorima gnorima

Apaturinae Emperors

Only a few widespread species, usually bright blue triangle above, silver or brownish below. They like wet dirt and are strong fliers.



Doxocopa cyane mexicana



Doxocopa cyane mexicana



Doxocopa cyane mexicana



Doxocopa cyane mexicana



Doxocopa cyane mexicana



Doxocopa laurentia cherubina




Doxocopa laurentia cherubina



Doxocopa laurentia cherubina



Doxocopa laurentia cherubina



Doxocopa laurentia cherubina



Doxocopa laurentia cherubina



Doxocopa laurentia cherubina



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora



Doxocopa pavon theodora

Satyrinae

Satyrs, Morphos, and Owls



Morpho helenor peleides



Morpho helenor peleides



Morpho helenor peleides





Manataria maculata maculata



Corades enyo almo



Corades enyo almo



Corades enyo almo



Corades enyo almo



Corades enyo almo



Corades enyo almo



Corades enyo almo



Corades enyo almo



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Eretris ocellifera ocellifera



Euptychia calixta



Euptychia calixta



Euptychia jesia



Euptychia jesia



Euptychia sp x dosbolas



Euptychia sp x dosbolas



Euptychia sp x dosbolas



Euptychia sp x retiro



Eptychoides griphe



Eptychoides griphe



Eptychoides griphe



Eptychoides griphe



Eptychoides saturnus



Eptychoides saturnus



Eptychoides saturnus



Eptychoides saturnus



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria neonympha



Forsterinaria pyrczi



Forsterinaria pyrczi



Lymanopoda caucana caucana



Lymanopoda caucana caucana



Lymanopoda caucana caucana



Lymanopoda caucana caucana



Oressinoma typhla typhla



Oressinoma typhla typhla



Oressinoma typhla typhla



Oxeoschistus puerta simplex



Oxeoschistus puerta simplex



Oxeoschistus puerta simplex



Oxeoschistus puerta simplex



Parataygetis lineata



Parataygetis lineata



Parataygetis lineata



Parataygetis lineata



Parataygetis lineata



Parataygetis lineata



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Pareuptychia metaleuca metaleuca



Praepronophila perperna



Praepronophila perperna



Praepronophila perperna



Praepronophila perperna



Praepronophila perperna



Praepronophila perperna



Praepronophila perperna



Pronophila orcus orcus




Pronophila orcus orcus



Pronophila orcus orcus



Pronophila orcus orcus



Pronophila orcus orcus



Pronophila orcus orcus



Pronophila orcus orcus



Steroma bega bega



Steroma bega bega



Steroma bega bega



Steroma bega bega



Steroma bega bega



Taygetis sp x pueblito



Taygetis virgilia



Taygetis virgilia



Taygetis virgilia



Yphthimoides austera



Yphthimoides renata



Yphthimoides renata



Yphthimoides renata



Yphthimoides renata

Danainae

Monarchs & Clearwings

Tribe Danaini/Monarchs – orange/rust colored butterflies, fairly good sized, famous North American migrants.

Tribe Ithomiini/Clearwings & Tigerwings – crystal or transparent winged, or orange and black striped. They usually fly in shaded areas, very slow!



Danaus plexippus megalippe



Danaus plexippus megalippe



Danaus plexippus megalippe



Danaus plexippus megalippe



Danaus plexippus megalippe



Danaus plexippus megalippe



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ceratinia tutia



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia iphanassa alienassa



Ithomia sp x pueblito1



Ithomia sp x pueblito2



Ithomia terra terra



Ithomia terra terra



Tithorea tarricina hecalesina



Tithorea tarricina hecalesina



Tithorea tarricina hecalesina



Tithorea tarricina hecalesina

Cyrestinae

Daggerwings

Larger butterflies with long, pointed tails, like daggers in English. Often sit on wet dirt with wings open. Many are all brown or all orange with thin vertical stripes.




Marpesia corinna



Marpesia corinna



Marpesia corinna



Marpesia corinna



Marpesia corinna



Marpesia zerynthia zerynthia



Marpesia zerynthia zerynthia



Marpesia zerynthia zerynthia

Biblidinae

Tropical Brushfoots

Medium sized butterflies, varied colors, many are widespread. Includes 88's.



Catonephele chromis chromis CO-PE



Catonephele chromis chromis CO-PE



Catonephele chromis chromis CO-PE



Catonephele chromis chromis CO-PE



Hamadryas fornax fornax



Hamadryas fornax fornax



Hamadryas fornax fornax



Epiphile dilecta jenkinsi CO-PE



Epiphile dilecta jenkinsi CO-PE





Pyrrhogryra edocla edocla MX-VZ SS



Pyrrhogryra edocla edocla MX-VZ BB



Pyrrhogryra edocla edocla MX-VZ BB



Dynamine postverta mexicana MX-CO BB 3



Dynamine postverta mexicana MX-CO BB ♀



Dynamine postverta mexicana MX-CO BB



Dynamine tithia salpensa CO-BO TH



Dynamine tithia salpensa CO-BO BB



Dynamine tithia salpensa CO-BO BB



Diaethria sp x pueblito I BB



Diaethria sp x pueblito I BB



Mesotaenia vaninka vaninka CO BB



Mesotaenia vaninka vaninka



Mesotaenia vaninka vaninka

This list is the result of the accumulative efforts from a large number of people. The following are the photographers who have contributed their photos to this work, thank you very much.

Fotógrafos - Photographers

AH	Adrian Hoskins	AN	Andrew Neild	BB	Juan Guillermo Jaramillo Vela
BBt	Bill Berthet	BY	Bob Yukich	CCvl	Charles Covell
DvG	David Geale	DW	Dan Wade	FH	Fred Heath
FM	Fredy Montero	GC	Gill Carter	JAB	Johnnier Arango Bermudez
Jpe	Jorge Perez	JSn	Jim Snyder	KG	Kim Garwood
KK	Ken Kertell	KW	Kay Wade	KWs	Kristine Wallstrom
LC	Les Catchick	LEM	Luis Eduardo Mejia	Leo	Leopoldina Tapasco
LG	Leif Gabrielsen	MM	Martin Moreno	PB	Priscilla Brodkin
PC	Pedro José Cardona Camache	PT	Paul Thompson	RR	Roger Rittmaster
SS	Shirley Sekarajasingham	TG	Thierry Garcia	TH	Tony Hoare
THn	Tom Horton	WC	Will Carter		

Agradecimientos - Acknowledgements

Este catálogo es el resultado del esfuerzo acumulativo de un gran número de colaboradores y fotógrafos a quienes damos las gracias.

Agradecemos a los siguientes expertos que generosamente han ayudado en la identificación de algunas de nuestras fotos: Stephane Attal, Andrew Brower, Bernard Hermier, James Mallet, Andrew Neild, Gregory Nielsen, Tomasz Pyrcz, Julian Salazar, Aaron Soh and Keith Willmott. Todos los errores en identificación son responsabilidad de Kim Garwood o Juan Guillermo Jaramillo V.

This catalog is the result of cumulative effort of many collaborators and photographers whom we thank.

We thank the following experts who generously helped in identifying some of our photos: Stephane Attal, Andrew Brower, Bernard Hermier, James Mallet, Andrew Neild, Gregory Nielsen, Tomasz Pyrcz, Julian Salazar, Aaron Soh and Keith Willmott. All errors in identifications are the responsibility of Kim Garwood and Juan Guillermo Jaramillo.

Numero de especies en la base de datos 3.755 y con subespecies 4.895, numero de fotos 7.493, especies y subespecies con foto 2.607, con la colaboracion de 98 fotógrafos.

Number of species in database 3.755 and with subspecies 4.895, number of photos 7.493, species and subspecies with photo 2.607, with the collaboration of 98 photographers.

Bibliografía - Bibliography

AMARILLO-S. A., M.G. ANDRADE-C. 1996. *Clave sinóptica para las familias y subfamilias de mariposas y polillas colombianas*. 117 – 147. En Andrade-C. M.G., G. Amat, F. Fernandez (Eds.) Insectos de Colombia, estudios escogidos. Academia Colombiana de Ciencias Exactas, Físicas y Naturales Colección Jorge Alvarez Lleras No. 10 Coeditado con el Centro Editorial Javeriano. 541pp.

BRIDGES, Ch. A. 1988. *Catalogue of Papilionidae & Pieridae (Lepidoptera: Rhopalocera)*. Published by Charles A. Bridges, Urbana, Illinois USA. 323 pp.


- D'ABRERA, B., 1981-1995.- *Butterflies of the Neotropical Region*. 7 vols: 1260 pp. + pls. Hill House, Melbourne-Victoria.
- D'ABRERA, B. (1981) *Butterflies of the Neotropical Region. Part I: Papilionidae & Pieridae*. Lansdowne Editions.
- D'ABRERA, B. (1988) *Butterflies of the Neotropical Region. Part V. Nymphalidae (Cont.) & Satyridae*. Hill House Publishers Victoria, Australia.
- DEVRIES, Ph. 1997. *The Butterflies of Costa Rica and their Natural History Vol II: Riodinidae*. Princeton University Press, 288 pp.
- DEVRIES, Ph. 1987. *The Butterflies of Costa Rica and their Natural History Papilionidae, Pieridae, Nymphalidae*. Princeton University Press, 327 pp.
- LECROM, J.F., CONSTANTINO, L.M. & J.A. SALAZAR. 2002. *Mariposas de Colombia. Tomo 1: Familia Papilionidae*. Carlec, Ltda, Bogotá. 108 pp, 89 pl. Edición española
- LECROM, J.F., LLORENTE, J., CONSTANTINO, L.M. & J.A. SALAZAR. 2004. *Mariposas de Colombia. Tomo 2. Familia Pieridae*. Carlec, Ltda, Bogotá. 180 pp
- NEILD A.F., 2010.- *The Butterflies of Venezuela Part 2: Nymphalidae 2: (Acraeinae, Libytheinae, Ithomiinae, Morphinae)*: 275 pp. Meridian Publications. Greenwich, London
- NEILD, A. F. E. 1996. *The Butterflies of Venezuela Part 1: Nymphalidae I (Limenitidinae, Apaturinae, Charaxinae)*. Meridian Publications Greenwich, London, UK, 144 pp.
- NEILD A.F., 1996.- *The Butterflies of Venezuela Part 1: Nymphalidae I (Limenitidinae, Apaturinae, Charaxinae)*: 144 pp. Meridian Publications. Greenwich, London
- RODRÍGUEZ, G., SALAZAR, J.A. & CONSTANTINO, L.M. 2010. *Estudio sobre las especies colombianas de Anteros Hubner (1819) (Lepidoptera: Riodinidae)* Boletín Científico. Mus. Hist. Nat. Universidad de Caldas
- SALAZAR, J.A., RODRÍGUEZ, G., & L.M. CONSTANTINO, L.M.. 2009. *Contribución al conocimiento del género Mesosemia Hubner, 1819 en Colombia y descripción de nuevos taxa (Lepidoptera: Riodinidae)* Boletín Científico. Mus. Hist. Nat. Universidad de Caldas (Manizales, Colombia). 13 (2): 174-240.
- SALAZAR-E., J.A., RODRÍGUEZ, G., CONSTANTINO, L.M. & RÍOS MÁLAVER, C., 2014.- *Contribución al conocimiento de las especies del género Siseme Westwood, 1851 en Colombia (Lepidoptera: Riodinidae)*. Bol. Cient. Mus. Hist. Nat. U. de Caldas, 18 (2): 265-285.
- TYLER, H., K. S. BROWN JR. & K. WILSON 1994. *Swallowtail Butterflies of the Americas*. Scientific Publishers, Inc. Gainesville Fl. USA. 375 pp.
- VÉLEZ, J.H. & SALAZAR, J.A., 1991.- *Mariposas de Colombia*: 167p. Villegas Editores, Bogotá.

Para citar utilice - To quote use:

GARWOOD K., JARAMILLO J.G. Catálogo de las mariposas de
Pueblito de San Jose, Amagá, Antioquia, Colombia
y la fecha de impresión viernes, 18 de marzo de 2016

GARWOOD K., JARAMILLO J.G. Catalog of the butterflies of
Pueblito de San Jose, Amagá, Antioquia, Colombia
and the print date viernes, 18 de marzo de 2016

inf Especies por localidad 3CV para PDF - 10feb2016



Pueblito de San Jose

Amagá, Antioquia

Este listado no es un índice, la numeración consecutiva sirve para contar las especies de la localidad, además el listado puede contener un número mayor de especies que el catálogo pues hay especies observadas, colectadas o reportadas en la literatura que no tienen aún fotos en la base de datos.

This list is not an index, the consecutive numbering is used to count the species of the locality, in addition the list may contain a greater number of species than the catalog as there are species observed, collected or reported in the literature that do not yet have photos in the database.

Mariposas de Pueblito de San Jose

Hesperiidae

Eudaminae

- 1 *Astraptes anaphus annetta*
- 2 *Astraptes fulgerator*
- 3 *Autochton longipennis*
- 4 *Epargyreus exadeus crusa*
- 5 *Phanus grandis*
- 6 *Phanus vitreus*
- 7 *Polythrix hirtius*
- 8 *Urbanus dorantes dorantes*
- 9 *Urbanus proteus proteus*
- 10 *Urbanus teleus*

Hesperiinae

- 11 *Apiaustus gracilis gracilis*
- 12 *Callimormus radiola janna*
- 13 *Callimormus radiola radiola*
- 14 *Callimormus saturnus*
- 15 *Corticea mendica schwarzi*
- 16 *Lerema accius lochius*
- 17 *Lerema lumina*
- 18 *Lucida lucia Scopas*
- 19 *Naevolus orius orius*
- 20 *Oxynthes corusca*
- 21 *Perichares deceptus drina*
- 22 *Poanes inimica*
- 23 *Thespies macareus*
- 24 *Thespies opigena*
- 25 *Thespies xarippe hallia*
- 26 *Vacerra caniola caniola*
- 27 *Vehilius stictomenes stictomenes*
- 28 *Vettius coryna coryna*
- 29 *Zenis jebus janka*

Heteropterinae

- 30 *Dalla caicus inca*
 - 31 *Dalla jelksyi ssp*
- ### Pyrginae
- 32 *Achlyodes pallida*
 - 33 *Aethilla epicra*
 - 34 *Anastrus neaeris neaeris*
 - 35 *Bolla brennus vexta*
 - 36 *Bolla sp x? romera*
 - 37 *Carrhenes meridensis*
 - 38 *Celaenorrhinus bifurcus*
 - 39 *Cyclosemia anastomosis*
 - 40 *Eantis thraso*
 - 41 *Eburuncus unifasciata*
 - 42 *Gorgythion begga begga*
 - 43 *Helioptetes alana*
 - 44 *Helioptetes arsalte*
 - 45 *Helioptetes laviana laviana*
 - 46 *Mylon lassia*
 - 47 *Myscelus epimachia epimachia*
 - 48 *Nisoniades brunneata*
 - 49 *Nisoniades ephora*
 - 50 *Noctuana haematospila*
 - 51 *Noctuana lactifera lactifera*
 - 52 *Potamanaxas melicertes*
 - 53 *Pyrgus adepta*
 - 54 *Pyrgus orcus*
 - 55 *Pyrrhopage decipiens*
 - 56 *Pyrrhopage phidias phidias*
 - 57 *Quadrus truncata*
 - 58 *Sostrata adamantinus*
 - 59 *Sostrata bifasciata leucorrhoea*
 - 60 *Theagenes albiplaga*

Xenophanidae

- 61 *Xenophanes tryxus*
- 62 *Zera hyacinthinus hyacinthinus*

Papilionidae

Papilioninae

- 63 *Eurytides columbus*
- 64 *Eurytides serville acritus*
- 65 *Heraclides thoas nealces*

Pieridae

Coliadinae

- 66 *Eurema xanthochlora xanthochlora*
- 67 *Phoebeis neocypris rurina*
- 68 *Pyrisitia leuce athalia*
- 69 *Pyrisitia venusta venusta*

Dismorphiinae

- 70 *Dismorphia crisia tolimensis*
- 71 *Dismorphia crisia foedora*
- 72 *Dismorphia zathoe othoe*
- 73 *Enantia melite citrinella*
- 74 *Lieinix nemesis nemesis*
- 75 *Pseudopieris nehemia*

Pierinae

- 76 *Catasticta flisa flisa*
- 77 *Catasticta prioneris albescens*
- 78 *Leptophobia olympia olympia*
- 79 *Pereute charops charops*

Riodinidae

Euselasiinae

- 80 *Euselasia eusepus*

Riodininae

- 81 *Amphiselenis chama*

- 82 *Anteros kupris kupris*
83 *Argyrogrammana stilbe holosticta*
84 *Baeotis zonata zonata*
85 *Caria rhacotis*
86 *Crocozona pheretima*
87 *Emesis brimo brimo*
88 *Emesis cypria guppyi*
89 *Emesis fatima*
90 *Emesis tegula*
91 *Hyphilaria anthias*
92 *Leucochimona icare*
93 *Melanis cinaron*
94 *Melanis hodia*
95 *Melanis marathon marathon*
96 *Melanis smithiae*
97 *Mesosemia metuana metuana*
98 *Mesosemia mevania mevania*
99 *Necyria bellona incendiaria*
100 *Ourocnemis archytas*
101 *Rhetus dysonii caligosus*
102 *Roeberella gerres*
103 *Siseme alectryo alectryo*
104 *Siseme pallas pallas*

Lycaenidae

- Polyommatainae**
105 *Hemiargus hanno hanno*
106 *Leptotes cassius*
Theclinae
107 *Arawacus dolylas*
108 *Arawacus leucogyna*
109 *Arzecla arza*
110 *Arzecla paralus*
111 *Aubergina vanessoides*
112 *Calycopis calus*
113 *Camissecla cleoqua*
114 *Cyanophrys goodsoni*
115 *Cyanophrys herodotus*
116 *Cyanophrys pseudolongula*
117 *Dicya iambe*
118 *Erora carla*
119 *Lamprospilus draudti*
120 *Laothus gibberosa*
121 *Micandra platyptera*
122 *Michaelus phoenissa*
123 *Ministrymon azia*

- 124 *Ministrymon cleon*
125 *Ministrymon inoa*
126 *Ocaria calesia*
127 *Ostrinotes keila*
128 *Pantheades bathildis*
129 *Pantheades paphlagon*
130 *Parrhasius polibetes*
131 *Strymon mulucha*
132 *Theritas paupera*
133 *Theritas theocritus*
134 *Timaeta timaeus*
135 *Tmolus echion*

- Heliconiinae**
163 *Actinote pellenea equatoria*
164 *Altinote ozoneme ozomene*
165 *Altinote stratonice stratonice*
166 *Dione moneta*
167 *Eueides procula kuenowii*
168 *Heliconius charithonia bassleri*
169 *Heliconius clysonymus clysonymus*
170 *Heliconius cydno cydno*
171 *Heliconius erato chestertonii*

Limenitidinae

- 172 *Adelpha alala negra*
173 *Adelpha leucophtalma*
174 *Adelpha lycoreas wallisi*
175 *Adelpha melanippe*
176 *Adelpha sp X pueblito*

Nymphalidae

Apaturinae

- 136 *Doxocopa cyane mexicana*
137 *Doxocopa laurentia cherubina*
138 *Doxocopa pavon theodora*

Biblidinae

- 139 *Catonephele chromis chromis*
140 *Diaethria sp x pueblito1*
141 *Dynamine postverta mexicana*
142 *Dynamine tithia salpensa*
143 *Epiphile dilecta jenkinsi*
144 *Epiphile epimenes epimenes*
145 *Epiphile iblis iblis*
146 *Hamadryas fornax fornax*
147 *Mesotaenia vaninka vaninka*
148 *Pyrrhogryra edocla edocla*

Charaxinae

- 149 *Archaeoprepona chromus chromus*
150 *Fountainea glycerium glycerium*
151 *Fountainea nessus*
152 *Memphis pasibula*
153 *Prepona gnorima gnorima*

Cyrestinae

- 154 *Marpesia corinna*
155 *Marpesia zerynthia zerynthia*

Danainae

- 156 *Ceratinia tutia*
157 *Danaus plexippus megalippe*
158 *Ithomia iphanassa alienassa*
159 *Ithomia sp x pueblito1*
160 *Ithomia sp x pueblito2*
161 *Ithomia terra terra*
162 *Tithorea tarricina hecalesina*

Nymphalinae

- 177 *Anartia amathea amathea*
178 *Anartia jatrophae jatrophae*
179 *Anthanassa acesas*
180 *Castilia eranites*
181 *Castilia ofella*
182 *Eresia carme laias*
183 *Eresia clio clio*
184 *Eresia polina*
185 *Hypanartia cinderella*
186 *Hypanartia dione dione*
187 *Hypanartia lethe lethe*
188 *Janatella fellula*
189 *Siproeta epaphus epaphus*
190 *Tegosa anieta luka*

Satyrinae

- 191 *Corades enyo almo*
192 *Eretris ocellifera ocellifera*
193 *Euptychia calixta*
194 *Euptychia jesia*
195 *Euptychia sp x dosbolas*
196 *Euptychia sp x retiro*
197 *Euptichoidea griphe*
198 *Euptichoidea saturnus*
199 *Forsterinaria neonympha*
200 *Forsterinaria pyrczi*
201 *Lymanopoda caucana caucana*
202 *Manataria maculata maculata*
203 *Morpho helenor peleides*
204 *Opsiphanes bogotanus bogotanus*

Mariposas de Pueblito de San Jose

- 205 *Oressinoma typhla typhla*
 - 206 *Oxeoschistus puerta simplex*
 - 207 *Paratayetis lineata*
 - 208 *Pareuptychia metaleuca metaleuca*
 - 209 *Praepronophila perperna*
 - 210 *Pronophila orcus orcus*
 - 211 *Pseudohaetera hypaesia*
 - 212 *Steroma bega bega*
 - 213 *Taygetis sp x pueblito*
 - 214 *Taygetis virgilia*
 - 215 *Yphthimoides austera*
 - 216 *Yphthimoides renata*
-

infEspecies por localidad listado - feb21 201